

## References

- [1] H. Ayasso and A. Mohammad-Djafari, "Variational bayes with gauss-markov-potts prior models for joint image restoration and segmentation," Visapp Proceedings, (Funchal, Madaira, Portugal), Int. Conf. on Computer Vision and Applications, 2008.
- [2] N. Bali and A. Mohammad-Djafari, "Bayesian approach with hidden markov modeling and mean field approximation for hyperspectral data analysis," *IEEE Trans. on Image Processing*, vol. 17, pp. 217–225, Feb. 2008.
- [3] A. Mohammad-Djafari, "Super-resolution: A short review, a new method based on hidden markov modeling of hr image and future challenges," *The Computer Journal*, vol. doi:10.1093/comjnl/bxn005, 2008.
- [4] F. Su and A. Mohammad-Djafari, "An hierarchical markov random field model for bayesian blind image separation," The 2008 International Congress on Image and Signal Processing (CISP2008), (27-30 May 2008, Sanya, Hainan, China), International Congress on Image and Signal Processing (CISP2008), 2008.
- [5] N. Bali, *Méthodes de classification bayésienne pour segmentation des images hyper spectrales*. Thèse, Université de Paris–Sud, Orsay, France, Sept. 2007.
- [6] H. Snoussi and A. Mohammad-Djafari, "Estimation of structured gaussian mixtures: The inverse em algorithm," *IEEE Trans. on Signal Processing*, vol. 55, pp. 3185–3191, July 2007.
- [7] A. Mohammad-Djafari, "Approche variationnelle pour le calcul bayésien dans les problèmes inverses en imagerie," in *GRETSI*, Troyes, France, Sept. 2007.
- [8] A. Mohammad-Djafari, "Inverse problems in imaging systems and general bayesian inversion framework," *J. Of Electrical Engineering Association in Iran*, vol. 2, pp. 3–21, 2007. <http://arxiv.org/abs/0705.2720>.
- [9] O. Féron, B. Duchêne, and A. Mohammad-Djafari, "Microwave imaging of piecewise constant objects in a 2D-TE configuration," *International Journal of Applied Electromagnetics and Mechanics*, vol. 26, pp. 167–174, IOS Press 2007.
- [10] A. Mohammad-Djafari and O. Féron, "A Bayesian approach to change points detection in time series," *International Journal of Imaging Systems and Technology*, vol. 16, pp. 215–221, 2007.
- [11] N. Bali, A. Mohammad-Djafari, and A. Mohammadpoor, "Joint dimensionality reduction, classification and segmentation of hyperspectral images," in *Proc. IEEE International Conference on Image Processing*, pp. 969–972, 8–11 Oct. 2006.

- [12] A. Mohammadpour and A. Mohammad-Djafari, "Inference with the median of a prior," *Entropy 2006*, vol. 8, no. 2, pp. 67–87, 2006.
- [13] A. Mohammad-Djafari, "Bayesian source separation: Beyond pca and ica," in *ESANN 2006*, ESANN 2006, September 4-8, Belgium, Sept. 2006.
- [14] A. Mohammad-Djafari, "Approche bayésienne en séparation de sources," in *TBICA 2006*, TBICA, CNRS, Paris, July 2006.
- [15] A. Mohammadpour, A. Mohammad-Djafari, and J. Nolan, "A randomness test for stable data," *Journal of Statistical Research of Iran*, vol. 3, 2006.
- [16] N. Bali and A. Mohammad-Djafari, "Réduction de données , classification et segmentation des images hyperspectrale vu comme un problème inverse de séparation de sources," in *TBICA 2006*, TBICA, CNRS, Paris, July 2006.
- [17] N. Bali and A. Mohammad-Djafari, "Hierarchical markovian models for hyperspectral image segmentation," in *ICPR 2006*, ICPR06, Aug. 20-24, Hong Kong., Aug. 2006.
- [18] A. Mohammad-Djafari and L. Robillard, "Hierarchical Markovian models for 3D computed tomography in non destructive testing applications," in *EUSIPCO 2006*, EUSIPCO 2006, September 4-8, Florence, Italy, Sept. 2006.
- [19] N. Bali and A. Mohammad-Djafari, "Hierarchical markovian models for joint classification, segmentation and data reduction of hyperspectral images," in *ESANN 2006*, ESANN 2006, September 4-8, Belgium, Sept. 2006.
- [20] A. Mohammad-Djafari, "Bayesian inference and maximum entropy methods in science and engineering," in *Bayesian Inference and Maximum Entropy Methods in Science and Engineering* (A. Mohammad-Djafari, ed.), (Paris, France), MaxEnt 2006, American Institute of Physics conference proceedings number 568, July 2006.
- [21] A. Mohammad-Djafari, "Introduction aux problèmes inverses en imagerie et en vision," in *Problèmes inverses en imagerie et en vision* (A. Mohammad-Djafari, ed.), (Paris), Traité IC2, Série traitement du signal et de l'image, Hermès (Mohammad-Djafari, A. ed.), 2006.
- [22] A. Mohammad-Djafari, "Séparation de sources," in *Approche bayésienne en séparation de sources* (A. Mohammad-Djafari, ed.), (Paris), Traité IC2, Série traitement du signal et de l'image, Hermès, (P. Common et Ch. Jutten ed.), 2006.
- [23] M. Ichir and A. Mohammad-Djafari, "Hidden markov models for wavelet-based blind source separation," *IEEE Trans. on Image Processing*, vol. 15, pp. 1887–1899, July 2006.

- [24] O. Féron, *Champs de Markov cachés pour les problèmes inverses. Application à la fusion de données et à la reconstruction d'images en tomographie micro-onde*. Thèse, Université de Paris-Sud, Orsay, France, Sept. 2006.
- [25] F. Humblot and A. Mohammad-Djafari, "Super-Resolution using Hidden Markov Model and Bayesian Detection Estimation Framework," *EURASIP Journal on Applied Signal Processing*, vol. Special number on Super-Resolution Imaging: Analysis, Algorithms, and Applications, pp. ID 36971, 16 pages, 2006.
- [26] S. Moussaoui, D. Brie, A. Mohammad-Djafari, and C. Carteret, "Separation of non-negative mixture of non-negative sources using a bayesian approach and mcmc sampling," *IEEE Trans. on Signal Processing*, vol. 54, pp. 4133–4145, Nov. 2006.
- [27] O. Féron and A. Mohammad-Djafari, "Image fusion and joint segmentation using an MCMC algorithm," *Journal of Electronic Imaging*, vol. 14, p. paper no. 023014, Apr 2005.
- [28] A. Mohammad-Djafari and A. Mohammadpour, "Hyperspectral image processing using a bayesian classification approach," in *Proceedings of PSIP 2005, Physics in Signal and Image Processing*, pp. 245–250, PSIP 2005, Physics in Signal and Image Processing, 2005.
- [29] O. Féron, B. Duchêne, and A. Mohammad-Djafari, "Microwave imaging: characterization of unknown dielectric or conductive materials," in *MaxEnt05*, (San Jose, USA,), august 2005.
- [30] O. Féron, B. Duchêne, and A. Mohammad-Djafari, "Reconstruction d'objets composés de plusieurs matériaux en tomographie micro-onde," in *GRETSI 20*, (Louvain-la-Neuve, Belgium), Sept. 2005.
- [31] O. Féron, B. Duchêne, and A. Mohammad-Djafari, "Microwave imaging of inhomogeneous objects made of a finite number of dielectric and conductive materials from experimental data," *Inverse Problems*, vol. 21, pp. 95–115, Dec 2005.
- [32] N. Bali and A. Mohammad-Djafari, "Approxiamtion en champ moyen pour la séparation de sources appliqué aux images hyperspectrales," in *GRETSI 2005*, (Louvains, Belgique), Sept. 2005.
- [33] N. Bali and A. Mohammad-Djafari, "Mean Field Approximation for BSS of images with compound hierarchical Gauss-Markov-Potts model," in *MaxEnt05, San José CA, US*, American Institute of Physics (AIP), Aug. 2005.
- [34] P. Brault, *Approche bayésienne en séparation de sources. Applications en imagerie*. Thèse, Université de Paris-Sud, Orsay, France, Sept. 2005.

- [35] P. Brault and A. Mohammad-Djafari, “Unsupervised Bayesian wavelet domain segmentation using a Potts-Markov random field modeling,” *Journal of Electronic Imaging*, vol. 14, pp. 043011–1:043011–16, Oct-Dec 2005.
- [36] F. Humblot, *Détection de petits objets dans une image en utilisant les techniques de super-résolution*. Thèse, Université de Paris-Sud, Orsay, France, Sept. 2005.
- [37] F. Humblot, B. Collin, and A. Mohammad-Djafari, “Evaluation and Practical Issues of Subpixel Image Registration Using Phase Correlation Methods,” in *Inter. Conf. on Physics in Signal and Image Processing (PSIP 05)*, (Toulouse, France), pp. 115–120, jan. 2005.
- [38] F. Humblot and A. Mohammad-Djafari, “Super-resolution and joint segmentation in bayesian framework,” in *25th Inter. Workshop on Bayesian Inference and Maximum Entropy Methods (MaxEnt05). AIP Conference Proceedings* (K. Knuth, A. Abbas, R. Morris, and J. Castle, eds.), vol. 803, pp. 207–214, AIP, 2005.
- [39] A. Mohammad-Djafari, “Ensemble de logiciel de reconstruction d’image en tomographie x (RATX-GC): Reconstruction algébrique en tomographie x en géométrie conique),” rapport interne et dossier de valorisation CNRS, Groupe problèmes inverses, 2005.
- [40] M. Ichir, *Estimation bayésienne et approche multi-résolution en séparation de sources. Applications en imagerie*. Thèse, Université de Paris-Sud, Orsay, France, Sept. 2005.
- [41] A. Mohammad-Djafari, “Maximum entropie et problèmes inverses,” Jan. 2005.
- [42] M. Ichir and A. Mohammad-Djafari, “A mean field approximation approach to blind source separation with lp priors,” in *Eusipco 2005, Antalya, Turkey, September 2005*, Eusipco 2005, Antalya, Turkey, September 2005, Sept. 2005.
- [43] M. Ichir and A. Mohammad-Djafari, “Hidden markov models for wavelet image separation and denoising,” in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP ’05)*, vol. 5, pp. v/225–v/228, 18–23 March 2005.
- [44] A. Mohammad-Djafari and A. Mohammadpour, “On the estimation of a parameter with incomplete knowledge on a nuisance parameter,” in *BAYESIAN INFERENCE and MAXIMUM ENTROPY METHODS IN SCIENCE and ENGINEERING: 24th International Workshop on Bayesian Inference and Maximum Entropy Methods in Science and Engineering*, vol. 735, pp. 533–540, AIP, 2004.

- [45] H. Snoussi and A. Mohammad-Djafari, “Fast joint separation and segmentation of mixed images,” *Journal of Electronic Imaging*, vol. 13, pp. 349–361, April 2004.
- [46] H. Snoussi and A. Mohammad-Djafari, “Bayesian unsupervised learning for source separation with mixture of Gaussians prior,” *Journal of VLSI Signal Processing Systems*, vol. 37, pp. 263–279, June/July 2004.
- [47] S. Moussaoui, D. Brie, O. Caspary, and A. Mohammad-Djafari, “A bayesian method for positive source separation,” in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP ’04)*, vol. 5, pp. V–485–8, 17–21 May 2004.
- [48] A. Mohammadpour and A. Mohammad-Djafari, “An alternative criterion to likelihood for parameter estimation accounting for prior information on nuisance parameter,” in *2nd International Conference on Soft Methods in Probability and Statistics, Spain*, Sept. 2004.
- [49] S. Moussaoui, C. Carteret, D. Brie, and A. Mohammad-Djafari, “Bayesian analysis of spectral mixture data using Markov chain Monte Carlo methods.” En révision pour *Chemometrics and Intelligent Laboratory Systems*, Dec. 2004.
- [50] O. Féron, Z. Chama, and A. Mohammad-Djafari, “Reconstruction of piecewise homogeneous images from partial knowledge of their Fourier transform,” in *MaxEnt04* (G. Erickson and Y. Zhai, eds.), (Garching, Germany), American Institute of Physics, august 2004.
- [51] M. Ichir and A. Mohammad-Djafari, “Bayesian based source separation for nonstationary positive sources,” in *Bayesian Inference and Maximum Entropy Methods*, (Munich, Germany), MaxEnt Workshops, American Institute of Physics, Aug. 2004. Maxent04.
- [52] S. Moussaoui, A. Mohammad-Djafari, D. Brie, and O. Caspary, “A Bayesian method for positive source separation,” in *IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP 2004)*, (Montreal, Canada), pp. 485–488, 17–21 mai 2004.
- [53] A. Mohammadpour and A. Mohammad-Djafari, “An alternative criterion to likelihood for parameter estimation accounting for prior information on nuisance parameter,” in *MaxEnt04, Garching, Germany*, vol. 735, pp. 533–540, AIP, Aug. 2004.
- [54] S. Moussaoui, D. Brie, and A. Mohammad-Djafari, “Separation of non-negative mixture of non-negative sources using a bayesian approach and mcmc sampling,” in *MaxEnt04, Max-Planck Institute, Garching, Germany, Augoust04*, Aug. 2004.

- [55] S. Moussaoui, D. Brie, C. Carteret, and A. Mohammad-Djafari, "Application of Bayesian non-negative source separation to mixture analysis in spectroscopy," in *International Workshop on Bayesian Inference and Maximum Entropy Methods in Science and Engineering (MaxEnt'2004)* (R. Fischer, R. Preuss, and U. von Toussaint, eds.), vol. 735, (Munich, Allemagne), pp. 237–244, American Institute of Physics (AIP), 25-30 Juillet 2004.
- [56] A. Mohammad-Djafari, M. Ichir, and H. Snoussi, "Pca, ica, fa and bayesian blind source separation: An oerview," in *MaxEnt04, Max-Planck Institute, Garching, Germany, Augoust04*, Aug. 2004.
- [57] A. Mohammad-Djafari, "Bayesian Data and Image Fusion," in *Int. Workshop on Computer Vision, Institute for Studies in Theoretical Physics and Mathematics (IPM), Tehran, Iran*, Apr. 2004.
- [58] A. Mohammad-Djafari, "Bayesian Blind Source Separation," in *Int. Workshop on Computer Vision, Institute for Studies in Theoretical Physics and Mathematics (IPM), Tehran, Iran*, Apr. 2004.
- [59] A. Mohammad-Djafari, "Bayesian change point analysis of time series," in *Int. Workshop on Computer Vision, Institute for Studies in Theoretical Physics and Mathematics (IPM), Tehran, Iran*, Apr. 2004.
- [60] A. Mohammad-Djafari, "A Bayesian classification approach to change points detection in time series," in *7th Iranian Statistical Conference, Allameh Tabatabaie University, Tehran, Iran*, Aug. 2004.
- [61] A. Mohammad-Djafari, "Bayesian Blind Source Separation modeled as an inverse problem and its link to pca, fa and ica," in *7th Iranian Statistical Conference, Allameh Tabatabaie University, Tehran, Iran, August 23-25, 2004*, Aug. 2004.
- [62] A. Mohammad-Djafari, "Bayesian Image Processing," in *Fifth Int. Conf. on Modelling, Computation and Optimization in Information Systems and Management Sciences (MCO 2004), Metz, France*, July 2004.
- [63] A. Mohammadpour, O. Féron, and A. Mohammad-Djafari, "Bayesian segmentation of hyperspectral images," in *MaxEnt04*, Aug. 2004.
- [64] C. Soussen and A. Mohammad-Djafari, "Polygonal and polyhedral contour reconstruction in computed tomography," *IEEE Trans. on Image Processing*, vol. 13, pp. 1507–1523, Nov. 2004.
- [65] A. Mohammad-Djafari, O. Féron, and Z. Chama, "Reconstruction of piecewise homogeneous images from partial knowledge of their fourier transform," in *MaxEnt04, Max-Planck Institute, Garching, Germany, Augoust04*, Aug. 2004.

- [66] A. Mohammadpour, O. Féron, and A. Mohammad-Djafari, “Bayesian segmentation of hyperspectral images,” in *BAYESIAN INFERENCE and MAXIMUM ENTROPY METHODS IN SCIENCE and ENGINEERING: 24th International Workshop on Bayesian Inference and Maximum Entropy Methods in Science and Engineering*, vol. 735, pp. 541–548, AIP, 2004.
- [67] H. Snoussi and A. Mohammad-Djafari, “Fast MCMC Joint Separation and Segmentation,” in *IEEE SSD 03*, (Sousse, Tunisia), Mar. 2003.
- [68] H. Snoussi and A. Mohammad-Djafari, “Sélection d’a priori et géométrie de l’information,” in *IEEE International Conference on Electronic Sciences, Information Technology and Telecommunication*, (Mahdia, Tunisia), SETIT, Mar. 2003.
- [69] M. Ichir and A. Mohammad-Djafari, “Hidden Markov Models for Wavelet Domain Image Separation,” in *International Conference on Bayesian Data Analysis (Poster)*, Bayes03, (Santa Cruz, CA, USA), Aug. 2003.
- [70] M. Ichir and A. Mohammad-Djafari, “Bayesian Wavelet Based Statistical Signal and Image Separation,” in *Bayesian Inference and Maximum Entropy Methods*, MaxEnt Workshops, American Institute of Physics, Aug. 2003. Maxent03.
- [71] M. Ichir and A. Mohammad-Djafari, “Séparation de sources modélisées par des ondelettes,” in *GRETSI 03*, (Paris, France), Sept. 2003.
- [72] A. Mohammad-Djafari, B. Duchêne, and A. Joisel, “Une nouvelle méthode d’inversion pour les problèmes de synthèse de fourier en imagerie,” in *GRETSI 03, France*, Sept. 2003.
- [73] A. Mohammad-Djafari and O. Féron, “A Bayesian approach to change point analysis of discrete time series,” in *Int. Symposium on Emerging Strategies for Improving Productivity, Quality and Reliability*, december 2003.
- [74] M. Ichir and A. Mohammad-Djafari, “Wavelet Domain Blind Image Separation,” in *Wavelets: Applications in Signal and Image Processing X* (M. A. Unser, A. Aldroubi, and A. F. Laine, eds.), vol. 5207 of *International Conference on Electronic Imaging*, (SPIE, Bellingham, WA), pp. 361–370, Aug. 2003.
- [75] M. Ichir, “Séparation de sources dans le domaine d’ondelettes,” rapport de stage de DEA, Groupe problèmes inverses, 2003.
- [76] O. Féron, “Approche bayésienne en fusion d’images,” rapport de stage de DEA et de fin d’études Supélec., Groupe problèmes inverses, 2003.

- [77] O. Féron and A. Mohammad-Djafari, “A Hidden Markov model for Bayesian data fusion of multivariate signals,” in *Fifth Int. Triennial Calcutta Symposium on Probability and Statistics*, december 2003.
- [78] S. Moussaoui, C. Carteret, A. Mohammad-Djafari, O. Caspary, D. Brie, and B. Humbert, “Approche bayésienne pour l’analyse de mélanges en spectroscopies,” in *Chimieométrie’2003*, (Paris, France), décembre 2003.
- [79] S. Moussaoui, A. Mohammad-Djafari, D. Brie, O. Caspary, C. Carteret, and B. Humbert, “A Bayesian method for positive source separation : Application to mixture analysis in spectroscopy,” in *IAR’2003*, (Duisburg, Germany), Nov. 2003.
- [80] A. Mohammadpour and A. Mohammad-Djafari, “An alternate inference tool to total probability formula and its application,” in *MAXENT 23, USA*, Aug. 2003.
- [81] P. Rahmani, “Reconstruction d’images en tomographie microondes,” rapport de stage de DEA, Groupe problèmes inverses, 2003.
- [82] I. Smith, “Détection de sources dans des images d’optiques adaptative,” rapport de stage de DEA, Groupe problèmes inverses, 2003.
- [83] A. Mohammad-Djafari, “Bayesian approach for inverse problems in optical coherent and non coherent imaging,” in *SPIE03, USA*, Sept. 2003.
- [84] H. Snoussi, *Approche bayésienne en séparation de sources. Applications en imagerie*. Thèse, Université de Paris–Sud, Orsay, France, Sept. 2003.
- [85] A. Mohammad-Djafari, “Fusion bayésienne de données en imagerie x et ultrasonore,” in *GRETSI 03, France*, Sept. 2003.
- [86] A. Mohammad-Djafari, “Bayesian data fusion for efficient detection and estimation in computed tomography,” in *BAYES03, USA*, Aug. 2003.
- [87] A. Mohammad-Djafari, “DEC1D : Ensemble de logiciels de déconvolution des signaux 1d,” description d’un logiciel, GPI, No. dossier CNRS: 63839, No. dossier FIST: C0312358, 2003.
- [88] A. Mohammad-Djafari, “TOMO1 : Ensemble de logiciels de reconstruction d’images en tomographie x,” description d’un logiciel, CNRS, 2003.
- [89] A. Mohammad-Djafari, “A Bayesian approach for data and image fusion,” in *Bayesian Inference and Maximum Entropy Methods* (C. Williams, ed.), (Univ. of Idaho, Moscow, Idaho, USA), pp. 386–407, MaxEnt Workshops, AIP Conference Proceedings 659, Aug. 2002.
- [90] A. Mohammad-Djafari, J. Giovannelli, G. Demoment, and J. Idier, “Regularization, maximum entropy and probabilistic methods in mass spectrometry data processing problems,” *Int. Journal of Mass Spectrometry*, vol. 215, pp. 175–193, Apr. 2002.



- [91] A. Mohammad-Djafari, “Hierarchical markov modeling for fusion of x ray radiographic data and anatomical data in computed tomography,” in *Int. Symposium on Biomedical Imaging (ISBI 2002)*, 7-10 Jul., Washington DC, USA, July 2002.
- [92] A. Mohammad-Djafari, “Fusion of x ray and geometrical data in computed tomography for non destructive testing applications,” in *Fusion 2002*, 7-11 Jul., Annapolis, Maryland, USA, July 2002.
- [93] A. Mohammad-Djafari, “Bayesian approach with hierarchical markov modeling for data fusion in image reconstruction applications,” in *Fusion 2002*, 7-11 Jul., Annapolis, Maryland, USA, July 2002.
- [94] A. Mohammad-Djafari, “Fusion of x ray radiographic data and anatomical data in computed tomography,” in *GRETSI 2005*, 2002, 22-25 sep., Rochester, NY, USA, Sept. 2002.
- [95] A. Mohammad-Djafari and M. Ichir, “Wavelet domain image separation,” in *Bayesian Inference and Maximum Entropy Methods* (C. Williams, ed.), (Univ. of Idaho, Moscow, Idaho, USA), pp. 208–223, MaxEnt Workshops, AIP Conference Proceedings 659, Aug. 2002.
- [96] A. Mohammad-Djafari, “Hierarchical markov modeling for fusion of x ray radiographic data and anatomical data in computed tomography,” in *Proc. IEEE International Symposium on Biomedical Imaging*, pp. 401–404, 7–10 July 2002.
- [97] A. Mohammad-Djafari, “Fusion of x ray radiographic data and anatomical data in computed tomography,” in *Proc. International Conference on Image Processing 2002*, vol. 2, pp. II-461–II-464, 22–25 Sept. 2002.
- [98] A. Mohammad-Djafari, “Fusion of x-ray and geometrical data in computed tomography for nondestructive testing applications,” in *Proc. Fifth International Conference on Information Fusion*, vol. 1, pp. 309–316, 8–11 July 2002.
- [99] A. Mohammad-Djafari, “Bayesian approach with hierarchical markov modeling for data fusion in image reconstruction applications,” in *Proc. Fifth International Conference on Information Fusion*, vol. 1, pp. 440–447, 8–11 July 2002.
- [100] W. Touhami, “Une approche multirésolution pour la reconstruction 3d de la surface d’un objet compact en tomography,” rapport de stage de DEA-ATS et de fin d’études Supélec., Groupe problèmes inverses, 2002.
- [101] M. Ichir, “Approche multirésolution en séparation de sources: Utilisation des ondelettes,” rapport de stage de DEA-ATS et de fin d’études Supélec., Groupe problèmes inverses, 2002.

- [102] B. Nicola, “Approche bayésienne en séparation de sources colorées,” rapport de stage de DEA-INPG grenoble, Groupe problèmes inverses, 2002.
- [103] G. Demoment, J. Idier, J. Giovannelli, and A. Mohammad-Djafari, “Restauration et reconstruction d’image,” in *Le traitement d’image à l’aube du XXIe siècle*, (Paris, France), pp. 45–56, Journées d’études SEE, Mar. 2002.
- [104] H. Snoussi and A. Mohammad-Djafari, “MCMC joint separation and segmentation of hidden Markov fields,” in *Neural Networks for Signal Processing XI* (E. D.J. Miller, ed.), IEEE NNSP, IEEE workshop, Sept. 2002.
- [105] H. Snoussi and A. Mohammad-Djafari, “Penalized maximum likelihood for multivariate gaussian mixture,” in *Bayesian Inference and Maximum Entropy Methods* (R. L. Fry, ed.), pp. 36–46, MaxEnt Workshops, American Institute of Physics, Aug. 2002.
- [106] H. Snoussi and A. Mohammad-Djafari, “Bayesian separation of HMM sources,” in *Bayesian Inference and Maximum Entropy Methods* (R. L. Fry, ed.), pp. 77–88, MaxEnt Workshops, American Institute of Physics, Aug. 2002.
- [107] H. Snoussi and A. Mohammad-Djafari, “Separation of mixed hidden Markov model sources,” in *Bayesian Inference and Maximum Entropy Methods* (R. L. Fry, ed.), MaxEnt Workshops, American Institute of Physics, Aug. 2002.
- [108] H. Snoussi and A. Mohammad-Djafari, “Information geometry of prior selection,” in *Bayesian Inference and Maximum Entropy Methods* (C. Williams, ed.), (Univ. of Idaho, Moscow, Idaho, USA), MaxEnt Workshops, AIP Conference Proceedings 570, Aug. 2002.
- [109] H. Snoussi and A. Mohammad-Djafari, “Mcmc joint separation and segmentation of hidden markov fields,” in *Proc. 12th IEEE Workshop on Neural Networks for Signal Processing*, pp. 485–494, 4–6 Sept. 2002.
- [110] H. Snoussi, G. Patanchon, J. Macias-Pérez, A. Mohammad-Djafari, and J. Delabrouille, “Bayesian blind component separation for cosmic microwave background observations.,” in *Bayesian Inference and Maximum Entropy Methods* (R. L. Fry, ed.), pp. 125–140, MaxEnt Workshops, American Institute of Physics, Aug. 2002.
- [111] C. Laplanche, “Fusion bayésienne de données en reconstruction tomographique,” rapport de stage de DEA-ENST de bretagne, Groupe problèmes inverses, 2002.
- [112] H. Snoussi, A. Seghouan, and G. Fleury, “Learning in presence of input noise using the stochastic em algorithm,” in *Bayesian Inference and Maximum Entropy Methods* (C. Williams, ed.), (Univ. of Idaho, Moscow,

Idaho, USA), MaxEnt Workshops, AIP Conference Proceedings 570, Aug. 2002.

- [113] A. Mohammad-Djafari, “Yet another analysis of dice problems,” in *Bayesian Inference and Maximum Entropy Methods* (C. Williams, ed.), (Univ. of Idaho, Moscow, Idaho, USA), MaxEnt Workshops, AIP Conference Proceedings 570, Aug. 2002.
- [114] A. Mohammad-Djafari, “Bayesian approach for blind sources separation in acoustics,” in *Acoustical Society of America, Chicago, Illinois, USA*, vol. Chicago, Illinois, June 2001.
- [115] H. Snoussi and A. Mohammad-Djafari, “Unsupervised learning for source separation with mixture of Gaussians prior for sources and Gaussian prior for mixture coefficients,” in *Neural Networks for Signal Processing XI* (D. J. Miller, ed.), pp. 293–302, IEEE workshop, IEEE, Sept. 2001.
- [116] H. Snoussi and A. Mohammad-Djafari, “Unsupervised learning for source separation with mixture of gaussians prior for sources and gaussian prior for mixture coefficients,” in *Neural Networks for Signal Processing XI* (E. D. J. Miller, ed.), pp. 293–302, IEEE NNSP, IEEE workshop, Sept. 2001.
- [117] A. Mohammad-Djafari, “Bayesian inference for inverse problems,” in *Bayesian Inference and Maximum Entropy Methods* (R. Fry, ed.), (John Hopkins Univ., MD, USA), MaxEnt Workshops, AIP Conference Proceedings 569, Aug. 2001.
- [118] G. Demoment, J. Idier, J. Giovannelli, and A. Mohammad-Djafari, “Problèmes inverses en traitement du signal et de l’image,” in *Techniques de l’Ingénieur*, vol. TE 5 235 of *Traité Télécoms*, pp. 1–25, Paris, France: Techniques de l’Ingénieur, 2001.
- [119] A. Mohammad-Djafari and J. Dintin, “Reconstruction tomographique à partir d’un nombre faible de projections,” in *Approche bayésienne pour les problèmes inverses* (Japan, ed.), (Paris), pp. 297–320, *Traité IC2, Série traitement du signal et de l’image*, Hermès, 2001.
- [120] A. Mohammad-Djafari, “A bayesian approach to source separation,” in *Maximum Entropy and Bayesian Methods, Boise, Idaho, USA, 2-5 August. 1999* (J. Rychert, G. Erikson, and C. Smith, eds.), pp. 221–244, AIP Conference Proceedings 567, May 2001.
- [121] A. Mohammad-Djafari, “Model selection for inverse problems: Best choice of basis function and model order selection,” in *Maximum Entropy and Bayesian Methods, Boise, Idaho, USA, 2-5 August. 1999* (J. Rychert, G. Erikson, and C. Smith, eds.), pp. 71–88, AIP Conference Proceedings 567, May 2001.

- [122] C. Soussen and A. Mohammad-Djafari, “Closed surface reconstruction in x-ray tomography,” in *Proc. International Conference on Image Processing*, vol. 1, pp. 718–721, 7–10 Oct. 2001.
- [123] H. Snoussi and A. Mohammad-Djafari, “Dégénérescences des estimateurs MV en séparation de sources,” technical report ri-s0010, Groupe problèmes inverses, 2001.
- [124] H. Snoussi and A. Mohammad-Djafari, “Séparation de sources par une approche bayésienne hiérarchique,” in *GRETSI 2001*, (Toulouse, France), Sept. 2001.
- [125] H. Snoussi and A. Mohammad-Djafari, “Unsupervised learning for source separation with mixture of gaussians prior for sources and gaussian prior for mixture coefficients,” in *Proc. IEEE Signal Processing Society Workshop Neural Networks for Signal Processing XI*, pp. 293–302, 10–12 Sept. 2001.
- [126] H. Carfantan and A. Mohammad-Djafari, “Tomographie de diffraction,” in *Approche bayésienne pour les problèmes inverses* (J. Idier, ed.), (Paris), pp. 321–341, Traité IC2, Série traitement du signal et de l’image, Hermès, 2001.
- [127] H. Snoussi, “Approche bayésienne pour la séparation de sources,” rapport de stage de DEA-ATS et de fin d’études Supélec., Groupe problèmes inverses, 2000.
- [128] G. Montémont, M. Arquès, and A. Mohammad-Djafari, “A Bayesian method for pulse shape and energy estimation for gamma spectrometry measurements using semiconductor detectors,” in *Bayesian Inference and Maximum Entropy Methods* (A. Mohammad-Djafari, ed.), (Gif-sur-Yvette, France), MaxEnt Workshops, American Institute of Physics, jul 2000.
- [129] H. Snoussi and A. Mohammad-Djafari, “Bayesian source separation with mixture of gaussians prior for sources and gaussian prior for mixture coefficients,” in *Bayesian Inference and Maximum Entropy Methods* (A. Mohammad-Djafari, ed.), (Gif-sur-Yvette, France), MaxEnt Workshops, American Institute of Physics, July 2000.
- [130] A. Mohammad-Djafari, “RATX-GC-2D : Ensemble de logiciels de reconstruction d’image en tomographie x en géométrie conique 2D,” description d’un logiciel, Groupe problèmes inverses, 2000.
- [131] C. Soussen, *Reconstruction 3D d’un objet compact en tomographie*. Thèse, Université de Paris–Sud, Orsay, France, Dec. 2000.
- [132] C. Soussen and A. Mohammad-Djafari, “Contour-based models for 3D binary reconstruction in X-ray tomography,” in *Bayesian Inference*

and *Maximum Entropy Methods* (A. Mohammad-Djafari, ed.), (Gif-sur-Yvette, France), MaxEnt Workshops, American Institute of Physics, July 2000.

- [133] A. Alessio, K. Sauer, and A. Mohammad-Djafari, “System parameter estimation in tomographic inverse problems,” in *Bayesian Inference and Maximum Entropy Methods* (A. Mohammad-Djafari, ed.), (Gif-sur-Yvette, France), pp. 181–191, MaxEnt Workshops, American Institute of Physics, July 2000.
- [134] G. Montémont, *Optimisation des performances de détecteurs CdTe et CdZnTe en spectrométrie gamma*. Thèse, INPG and LETI, CEA, Grenoble, France, oct 2000.
- [135] A. Mohammad-Djafari, N. Qaddoumi, and R. Zoughi, “A blind deconvolution approach for resolution enhancement of near-field microwave images,” in *Mathematical modeling, Bayesian estimation and Inverse problems, SPIE 99, Denver, Colorado, USA* (F. Prêteux, A. Mohammad-Djafari, and E. Dougherty, eds.), vol. 3816, pp. 274–281, 1999.
- [136] C. Soussen and A. Mohammad-Djafari, “Approche multirésolution pour la reconstruction 3D de défaut en tomographie X,” in *GRETSI 1999*, (Vannes, France), pp. 1197–1200, Sept. 1999.
- [137] C. Soussen and A. Mohammad-Djafari, “Recovery of moments of a compact homogeneous object from tomographic projection data,” tech. rep., Groupe problèmes inverses, 1999.
- [138] C. Soussen and A. Mohammad-Djafari, “Multiresolution approach to the estimation of the shape of a 3D compact object from its radiographic data,” in *Proc. SPIE, Mathematical Modeling, Bayesian Estimation, and Inverse Problems* (F. Prêteux, A. Mohammad-Djafari, and E. Dougherty, eds.), (Denver, CO, USA), pp. 150–160, July 1999.
- [139] F. Prêteux, E. Dougherty, and A. Mohammad-Djafari, “Mathematical modelling, bayesian estimation and inverse problems,” in *Mathematical modelling, Bayesian estimation and Inverse Problems* (A. Mohammad-Djafari, ed.), (San Diego, California, USA), SPIE 99, SPIE, jul 1999.
- [140] A. Mohammad-Djafari, “Model selection for inverse problems: Best choice of basis function and model order selection,” in *Bayesian Inference and Maximum Entropy Methods* (J. R. G. Erikson and C. Smith, eds.), p. to appear on may 2001, American Institute of Physics, July 1999.
- [141] A. Mohammad-Djafari, “A Bayesian approach to source separation,” in *Bayesian Inference and Maximum Entropy Methods* (J. R. G. Erikson and C. Smith, eds.), (Boise, ID, USA), p. to appear on may 2001, MaxEnt Workshops, American Institute of Physics, July 1999.

- [142] A. Mohammad-Djafari and C. Soussen, "Compact object reconstruction," in *Discrete Tomography: Foundations, Algorithms and Applications* (G. T. Herman and A. Kuba, eds.), ch. 14, pp. 317–342, Boston, MA, USA: Birkhauser, 1999.
- [143] A. Mohammad-Djafari, "Entropie en traitement du signal," *Traitement du signal*, vol. Num. spécial, volume 15, no. 6, pp. 545–551, 1999.
- [144] A. Mohammad-Djafari, "Bayesian inference for inverse problems," in *Bayesian inference for inverse problems* (A. Mohammad-Djafari, ed.), (Denvers, Colorado, USA), SPIE 98, SPIE, July 1998.
- [145] M. Nikolova, J. Idier, and A. Mohammad-Djafari, "Inversion of large-support ill-posed linear operators using a piecewise gaussian mrf," *IEEE Trans. on Image Processing*, vol. 7, pp. 571–585, April 1998.
- [146] S. Gautier, J. Idier, A. Djafari, and B. Lavayssiere, "X-ray and ultrasound data fusion," in *Proc. International Conference on Image Processing ICIP 98*, pp. 366–369 vol.3, 1998.
- [147] A. Mohammad-Djafari and Y. Khayi, "Evaluation de méthodes de traitement d'antenne en reconstruction d'image appliquée au contrôle non destructif," in *GRETSI 1997*, (Grenoble, France), pp. 75–78, Sept. 1997.
- [148] E. Cano, "Reconstruction d'objets compacts 2D et 3D en tomographie X par méthodes géométriques et par courbes de niveau," rapport de stage de DEA-ATS et de fin d'études Supélec., Groupe problèmes inverses, Gif-sur-Yvette, France, July 1997.
- [149] H. Carfantan and A. Mohammad-Djafari, "A Bayesian framework for nonlinear diffraction tomography," in *IEEE EURASIP Workshop on Nonlinear Signal and Image Processing NSIP'97*, (Mackinac island, MI, USA), Sept. 1997.
- [150] H. Carfantan and A. Mohammad-Djafari, "An overview of nonlinear diffraction tomography within the Bayesian estimation framework," in *Inverse Problems of Wave Propagation and Diffraction*, pp. 107–124, New York: Lecture Notes in Physics, Springer Verlag, 1997.
- [151] H. Carfantan, A. Mohammad-Djafari, and J. Idier, "A single site update algorithm for nonlinear diffraction tomography," in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing ICASSP-97*, vol. 4, pp. 2837–2840, 21–24 April 1997.
- [152] S. Gautier, J. Idier, A. Mohammad-Djafari, and B. Lavayssière, "Fusion de données gammagraphiques et ultrasonores," in *GRETSI 1997*, (Grenoble, France), pp. 781–784, Sept. 1997.

- [153] S. Gautier, J. Idier, A. Mohammad-Djafari, and B. Lavayssière, “Traitement d’échogrammes ultrasonores par déconvolution aveugle,” in *GRETSI 1997*, (Grenoble, France), pp. 1431–1434, Sept. 1997.
- [154] A. Mohammad-Djafari, “Shape reconstruction in X-ray tomography,” in *Proc. SPIE*, vol. 3170, (San Diego, CA, USA), pp. 240–251, July 1997.
- [155] A. Mohammad-Djafari, “A bayesian estimation method for detection, localisation and estimation of superposed sources in remote sensing,” in *Proc. SPIE*, vol. 3163, (San Diego, CA, USA), pp. 73–82, July 1997.
- [156] A. Mohammad-Djafari, “Une méthode bayésienne pour la localisation et la séparation de sources de formes connues,” in *GRETSI 1997*, (Grenoble, France), pp. 135–139, Sept. 1997.
- [157] A. Mohammad-Djafari, “Probabilistic methods for data fusion,” in *Maximum Entropy and Bayesian Methods*, (Boise, ID, USA), Aug. 1997.
- [158] A. Mohammad-Djafari, “Binary polygonal shape image reconstruction from a small number of projections,” *Elektrik*, vol. 5, no. 1, pp. 127–138, 1997.
- [159] A. Mohammad-Djafari and Y. Khayi, “Array processing techniques and shape reconstruction in tomography,” in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing ICASSP-97*, vol. 5, pp. 3785–3788, 21–24 April 1997.
- [160] A. Mohammad-Djafari and H. Miller, “A bayesian approach for the determination of the charge density from elastic electron scattering data,” in *Maximum Entropy and Bayesian Methods*, (Boise, ID, USA), Aug. 1997.
- [161] O. Venard, D. Prémel, and A. Mohammad-Djafari, “Eddy current tomography: A bayesian approach with a compound weak membrane-beta prior model,” in *III rd Int. Work. on Advances in Sig. Proc. for Non Des. Eval. 1997, Québec, Canada*, 1997.
- [162] O. Venard, D. Prémel, and A. Mohammad-Djafari, “Modèle de la membrane faible associée à une loi beta: Application à la tomographie par courants de foucault,” in *GRETSI 1997*, (Grenoble, France), pp. 319–323, Sept. 1997.
- [163] A. Mohammad-Djafari and K. Sauer, “Shape reconstruction in X-ray tomography from a small number of projections using deformable models,” in *Maximum Entropy and Bayesian Methods*, (Boise, ID, USA), Aug. 1997.
- [164] A. Mohammad-Djafari, K. Sauer, Y. Khayi, and E. Cano, “Reconstruction of the shape of a compact object from few projections,” in *Proc. International Conference on Image Processing*, vol. 1, pp. 165–168, 26–29 Oct. 1997.

- [165] H. Carfantan and A. Mohammad-Djafari, “An overview of nonlinear diffraction tomography within the Bayesian estimation framework,” in *Conference on inverse problems of wave propagation and diffraction*, (Aix-les-Bains, France), Sept. 1996.
- [166] A. Mohammad-Djafari and J. Idier, “A scale invariant Bayesian method to solve linear inverse problems,” in *Maximum Entropy and Bayesian Methods*, pp. 121–134, Kluwer Academic Publisher, 1996.
- [167] A. Mohammad-Djafari and H. Miller, “A bayesian approach for the determination of the charge density from elastic electron scattering data,” tech. rep., L2S–CNRS, Supélec, France and Dept. of Physics, Univ. of Pretoria, South Africa, 1996.
- [168] A. Mohammad-Djafari, H. Carfantan, and M. Nikolova, “New advances in Bayesian calculation for linear and non linear inverses problems,” in *Maximum Entropy and Bayesian Methods*, (MaxEnt96, Aug. 96, Berg-en-Dal, South Africa), Kluwer Academic Publ., 1996.
- [169] A. Mohammad-Djafari, “A full Bayesian approach for inverse problems,” in *Maximum Entropy and Bayesian Methods*, pp. 135–143, Kluwer Academic Publisher, 1996.
- [170] A. Mohammad-Djafari, “Image reconstruction of a compact object from a few number of projections,” in *IASTED, Int. Conf. on Signal and Image Processing (SIP’96)*, (IASTED, SIP’96, Nov. 11-14, Orlando, Florida, USA), pp. 325–329, 1996.
- [171] A. Mohammad-Djafari, “Joint estimation of parameters and hyperparameters in a Bayesian approach of solving inverse problems,” in *IEEE Int. Conf. on Image Processing (ICIP)*, vol. II, (IEEE ICIP 96, Lausanne, Suisse), pp. 473–477, 1996.
- [172] A. Mohammad-Djafari, “A Bayesian approach to shape reconstruction of a compact object from a few number of projections,” in *Maximum Entropy and Bayesian Methods*, (MaxEnt96, Aug. 96, Berg-en-Dal, South Africa), Kluwer Academic Publ., 1996.
- [173] A. Mohammad-Djafari, “A comparison of two approaches: Maximum entropy on the mean (MEM) and Bayesian estimation (BAYES) for inverse problems,” in *Maximum Entropy and Bayesian Methods*, (MaxEnt96, Aug. 96, Berg-en-Dal, South Africa), Kluwer Academic Publ., 1996.
- [174] A. Mohammad-Djafari, “A bayesian estimation method for deconvolution and source separation,” tech. rep., Rapport interne L2S–CNRS, Supélec, France, 1996.
- [175] A. Mohammad-Djafari, “Approche bayésienne en traitement d’antenne,” tech. rep., Rapport interne Groupe problèmes inverses, L2S–CNRS, Supélec, France, 1996.



- [176] A. Mohammad-Djafari, “Fusion de données en contrôle non destructif,” rapport de contrat CNRS-électricité de france, Groupe problèmes inverses, 1996.
- [177] A. Mohammad-Djafari, “Restauration d’images satellitaires,” rapport de contrat CNRS-GDR-ISIS-CNES, 1995-1996, Groupe problèmes inverses, 1996.
- [178] A. Mohammad-Djafari, “Joint estimation of parameters and hyperparameters in a bayesian approach of solving inverse problems,” in *Proc. International Conference on Image Processing*, vol. 1, pp. 473–476, 16–19 Sept. 1996.
- [179] M. Nikolova and A. Mohammad-Djafari, “Eddy current tomography using a binary Markov model,” *Signal Processing*, vol. 49, pp. 119–132, 1996.
- [180] M. Nikolova, *Inversion markovienne de problèmes linéaires mal posés. application à l’imagerie tomographique*. Thèse, Université de Paris-Sud, Orsay, France, Feb. 1995.
- [181] A. Mohammad-Djafari, “Bayesian approach with maximum entropy priors to imaging inverse problems, part II: Applications,” tech. rep., Groupe problèmes inverses, Gif-sur-Yvette, France, 1995.
- [182] H. Carfantan and A. Mohammad-Djafari, “A bayesian approach for non-linear inverse scattering tomographic imaging,” in *Proc. International Conference on Acoustics, Speech, and Signal Processing ICASSP-95*, vol. 4, pp. 2311–2314, 9–12 May 1995.
- [183] D. Premel and A. Mohammad-Djafari, “Eddy current tomography in cylindrical geometry,” *IEEE Trans. on Magnetism*, vol. 31, pp. 2000–2003, May 1995.
- [184] A. Mohammad-Djafari, “Bayesian approach with maximum entropy priors to imaging inverse problems, part I : Foundations,” tech. rep., Groupe problèmes inverses, Gif-sur-Yvette, France, 1995.
- [185] S. Gautier, G. Lebesnerais, A. Mohammad-Djafari, and B. Lavayssière, “Data fusion in the field of non destructive testing,” in *Maximum Entropy and Bayesian Methods*, pp. 311–316, Kluwer Academic Publ., 1995.
- [186] S. Gautier, G. Lebesnerais, A. Mohammad-Djafari, and B. Lavayssière, “Fusion de données radiographiques et ultrasonores, en vue d’une application en contrôle non destructif,” in *Second international workshop on inverse problems in electromagnetism and acoustic*, (Clermont-Ferrand, France), May 1995.
- [187] S. Gautier and A. Mohammad-Djafari, “Méthodes d’imagerie par utilisation conjointe de données ultrasonores et radiographiques,” rapport de contrat (confidentiel) CNRS-électricité de france, Groupe problèmes inverses, 1995.

- [188] Z. Mekdade, “Reconstruction d’image d’un objet compact avec un support polygonal,” rapport de stage du DEA-ATS., Groupe problèmes inverses, Gif-sur-Yvette, France, 1995.
- [189] L. Bouchon, “Méthodes non linéaires en reconstruction d’images appliquée à la tomographie X,” rapport de stage de fin d’études Supélec., Groupe problèmes inverses, Gif-sur-Yvette, France, June 1995.
- [190] M. Nikolova, J. Idier, and A. Mohammad-Djafari, “Inversion of ill-posed operators using a piecewise Gaussian MRF,” tech. rep., Groupe problèmes inverses, 1994.
- [191] M. Nikolova and A. Mohammad-Djafari, “Eddy current tomography using a Markov model,” tech. rep., Groupe problèmes inverses, Gif-sur-Yvette, France, 1994.
- [192] M. Nikolova, A. Mohammad-Djafari, and J. Idier, “Inversion of large-support ill-conditioned linear operators using a markov model with a line process,” in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing ICASSP-94*, pp. V/357–V/360, Volume v,&9–22 April 1994.
- [193] S. Brette, J. Idier, and A. Mohammad-Djafari, “Scale invariant Markov models for Bayesian inversion of linear inverse problems,” *Maximum Entropy and Bayesian Methods*, (Cambridge, UK), pp. 199–212, Kluwer Academic Publ., 1994.
- [194] S. Brette, J. Idier, and A. Mohammad-Djafari, “Scale invariant Bayesian estimator for inversion of noisy linear system,” in *Fifth Valencia Int. Meeting on Bayesian Statistics*, (Spain), June 1994.
- [195] M. Nikolova, “Markovian inversion of general ill-posed linear problems,” tech. rep., Groupe problèmes inverses, Gif-sur-Yvette, France, 1994.
- [196] D. Roland, “Reconstruction d’image composée d’objets compacts,” rapport de stage du DEA-ATS., Groupe problèmes inverses, Gif-sur-Yvette, France, 1994.
- [197] A. Mohammad-Djafari, “Maximum d’entropie et problèmes inverses en imagerie,” *Traitement du signal*, pp. 87–116, 1994.
- [198] M. Nguyen and A. Mohammad-Djafari, “Bayesian approach with the maximum entropy principle in image reconstruction from microwave scattered field data,” *IEEE Trans. on Medical Imaging*, vol. 13, pp. 254–262, June 1994.
- [199] A. Mohammad-Djafari, “On the estimation of hyperparameters in bayesian approach of solving inverse problems,” in *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing ICASSP-93*, vol. 5, pp. 495–498, 27–30 April 1993.

- [200] A. Mohammad-Djafari and J. Idier, “Scale invariant Bayesian estimators for linear inverse problems,” in *Proc. of the First ISBA meeting*, (San Francisco, CA, USA), Aug. 1993.
- [201] S. Brette, “Approche bayésienne des problèmes inverses,” rapport de stage du DEA-ATS., Groupe problèmes inverses, Gif-sur-Yvette, France, 1993.
- [202] B. Eldarwiche, “Maximum d’entropie en reconstruction d’image,” rapport de stage du x et du DEA-ATS., Groupe problèmes inverses, Gif-sur-Yvette, France, 1992.
- [203] A. Mohammad-Djafari and G. Demoment, “Maximum entropy methods and bayesian methods in science and engineering,” in *Maximum Entropy and Bayesian Methods in Science and Engineering* (A. Mohammad-Djafari, ed.), (CNRS, Paris, France), MaxEnt 1992, Kluwer Acad. Publ., Netherland, 1993, July 1992.
- [204] R. de Olivera, D. Lesselier, B. Duchêne, A. Mohammad-Djafari, and M. Nikolova, “Imagerie par courants de foucault d’une anomalie de conductivité dans un block métallique,” Rapport intermédiaire Convention P11L22/4L9034-I7205, Groupe problèmes inverses, 1992.
- [205] D. Prémel, *Imagerie des milieux conducteurs par courants de Foucault*. Thèse, Université de Paris-Sud, Orsay, France, dec 1992.
- [206] A. Mohammad-Djafari, “Déconvolution à maximum d’entropie des signaux et des images,” rapport de contrat CNRS–CEA, 1990-1992, Groupe problèmes inverses, 1992.
- [207] A. Mohammad-Djafari, “Imagerie par courants de foucault,” rapport de contrat CNRS–électricité de france, Groupe problèmes inverses, 1992.
- [208] A. Mohammad-Djafari, “A matlab program to calculate the maximum entropy distributions,” in *Maximum Entropy and Bayesian Methods*, Max-Ent Proceedings, pp. 221–233, Kluwer Academic Publ., 1991.
- [209] M. Nikolova, “Tomography de diffraction par courants de Foucault pour lecontrôle non destructif des milieux conducteurs,” rapport de stage du DEA-ATS., Groupe problèmes inverses, 1991.
- [210] A. Mohammad-Djafari and J. Idier, “Maximum likelihood estimation of the lagrange parameters of the maximum entropy distributions,” in *Maximum Entropy and Bayesian Methods*, pp. 131–140, Kluwer Academic Publ., 1991.
- [211] A. Mohammad-Djafari and G. Demoment, “Estimating priors in maximum entropy image processing,” in *Proc. International Conference on Acoustics, Speech, and Signal Processing ICASSP-90*, pp. 2069–2072, 3–6 April 1990.

- [212] A. Mohammad-Djafari, “SF2D : Synthèse de fourier 2d à maximum d’entropie,” description d’un logiciel, Groupe problèmes inverses, 1990.
- [213] A. Mohammad-Djafari, “MEDEC : Déconvolution à maximum d’entropie,” description d’un logiciel, Groupe problèmes inverses, 1990.
- [214] A. Mohammad-Djafari and J. Idier, “Maximum entropy prior laws of images and estimation of their parameters,” in *Maximum Entropy and Bayesian Methods*, pp. 285–293, Kluwer Academic Publ., 1990.
- [215] A. Mohammad-Djafari and J. Idier, “Maximum entropy image construction of the galaxy m51,” in *Maximum Entropy and Bayesian Methods*, pp. 313–318, Kluwer Academic Publ., 1990.
- [216] P. Merle, C. Marneffe, and A. Mohammad-Djafari, “Recherche d’une loi a priori en restauration d’images,” Rapport de stage de fin d’études à l’école polytechnique. 89/023, Groupe problèmes inverses, Gif-sur-Yvette, France, 1989.
- [217] A. Mohammad-Djafari and G. Demoment, “Utilisation de l’entropie dans les problèmes de restauration et de reconstruction d’images,” *Traitement du signal*, vol. 5, no. 4, pp. 235–248, 1988.
- [218] A. Mohammad-Djafari and G. Demoment, “Maximum entropy image reconstruction in x-ray and diffraction tomography,” *IEEE Trans. on Medical Imaging*, vol. 7, pp. 345–354, Dec. 1988.
- [219] A. Mohammad-Djafari and G. Demoment, “Tomographie de diffraction et synthèse de Fourier à maximum d’entropie,” *Revue Physique Appliqués*, vol. 22, pp. 153–167, 1987.
- [220] A. Mohammad-Djafari and G. Demoment, “Maximum entropy Fourier synthesis with application to diffraction tomography,” *Applied Optics*, vol. 26, no. 10, pp. 1745–1754, 1987.
- [221] A. Mohammad-Djafari and G. Demoment, “Maximum entropy diffraction tomography,” in *ICASSP*, (Tokyo, Japan), pp. 1–34, 1986.
- [222] A. Mohammad-Djafari and G. Demoment, “Maximum entropy diffraction tomography,” in *Proc. IEEE International Conference on ICASSP ’86. Acoustics, Speech, and Signal Processing*, vol. 11, pp. 1749–1752, Apr 1986.
- [223] A. Mohammad-Djafari and G. Demoment, “Problèmes liés à la reconstruction d’images par tomographie microonde et ultrasonore,” in *GRETSI 1995*, (Nice, France), 1985.
- [224] D. Saint-Felix, A. Mohammad-Djafari, and G. Demoment, “Iterative generalized inverse image restoration,” in *Proc. IEEE International Conference on ICASSP ’84. Acoustics, Speech, and Signal Processing*, vol. 9, pp. 104–107, Mar 1984.

- [225] A. Mohammad-Djafari, F. Heron, R. Duperdu, and J. Perrin, "Noninvasive recording of the his-purkinje system electrical activity by a digital system design.," *J Biomed Eng*, vol. 3, pp. 147–152, Apr 1981.
- [226] A. Mohammad-Djafari, "Design of a digital system for acquisition and processing the low amplitude electrophysiological signals," in *Proc. of the 4th annual WAMI Meeting*, (Strasbourg, France), 1981.
- [227] F. Héron, A. Mohammad-Djafari, M. Degeorges, and J. Perrin, "Correlative study of simultaneous surface and intracardiac recordings of electrical activity from the specific atrioventricular conduction pathways.," *Eur Heart J*, vol. 2, pp. 419–427, Oct 1981.
- [228] A. Mohammad-Djafari and F. Heron, "A digital system design to record the electrical activity of the his-purkinje system at the body surface," in *Proc. of BIOMED 80*, (Marseille, France), 1980.
- [229] A. Mohammad-Djafari, F. Heron, R. Duperdu, and J. Perrin, "Non-invasive recording of the his-purkinje system electrical activity by a digital system design," *J. of Biomedical Eng.*, vol. 3, pp. 147–152, 1979.
- [230] A. Mohammad-Djafari, "Réalisation d'un appareil automatique pour l'extraction instantanée par voie externe de l'activité électrique du faisceau de Hiss," in *Proc. of Symp.on High Amplification ECG*, (Nice, France), Proc. of Symp.on High Amplification ECG, 1979.